


80 SERIES uPVC DOORS

PRESERVE
THE PLANET



കരുത്തോടെ...കരുതലോടെ

SEALOUX[®]
DOORS & WINDOWS




We, Seaoux doors are the highly dignified label in the industry entrusted in manufacture and supply of superior quality interior doors. The Seaoux outcomes are merely focused on the involvement of production of bedroom doors, office doors, kitchen and bathroom doors. We are equipped with advanced technology and highly experienced professional, involved in the manufacturing of our unique premium quality Seaoux doors. It is well known that Seaoux is not compromising on the material quality, beauty, and perfection in our products. Over the past 25 years of experienced history, Seaoux became the pioneers in the wrapped UPVC doors industry. Seaoux introduces the exclusive product, Seaoux UPVC Doors. Its India's first PUR wrapped wood grain mat finish doors. Embraced with the most advanced technology, we developed a variety shades of detailed wrapped UPVC doors. The doors are of US standard export quality with an amazing price value. Contributing to the nature we only use Eco-friendly and recyclable materials for the manufacturing process of doors.



MADE WITH MORE
COLOURS
TO MATCH WITH
YOUR INTERIORS





Seaoux has been a niche player in Kerala's door industry over the past few years. Having our own full-fledged door fabrication units and seven manufacturing units across South India, we are capable to supply high-quality and classy UPVC doors in customized models across the globe. The built element of a Seaoux door is Unplasticized Polyvinyl Chloride (UPVC). The PUR Wrapped wooden finish doors are water resistant, termite proof and fire proof.

With high flexural strength, our UPVC Doors are resistant to water, chemical and fungus. They are easy and fast to install. Our Doors are extremely efficient that are aimed to provide security.



ECO FRIENDLY



A GRADE
QUALITY



RECYCLABLE



WATERPROOF



TOXIC FREE



ALL WEATHER
DOOR



FIRE
RETARDANT



MAINTANANCE
FREE



TERMITE
PROOF



Feel the Natural wood as
perfect with grains on it.

LOUVER DESIGNS



MG 8101 CDL



BW 8201 CDL



GO 8301 CDL



DW 8401 CDL



RT 8501 CDL



SW 8601 CDL



MG 8102 L



BW 8202 L



GO 8302 L



DW 8402 L



RT 8502 L



SW 8602 L

Explore wide Collections from
Skilled Designers

SANDWICH PANEL DOORS





Sandwich Panel Doors



GO 8303 FP



BW 8203 FP



DW 8403 FP



RT 8503 FP



SW 8603 FP



MG 8103 FP

Sandwich Panel Doors



RT 8504 P



GO 8304 P



DW 8404 P



BW 8204 P



SW 8604 P



MG 8104 P





Moulded Sandwich Panel Doors



RT 8508 TD



RT 8507 RD



RT 8506 AD



RT 8505 FS

Moulded Sandwich Panel Doors

SEALOUX[®]
DOORS & WINDOWS



MG 8105 FS



MG 8106 AD



MG 8107 RD



MG 8108 TD



Moulded Sandwich Panel Doors



DW 8405 SC



DW 8406 SV



DW 8407 SL



DW 8408 SD

Moulded Sandwich Panel Doors



BW 8205 SC



BW 8206 SV



BW 8207 SL



BW 8208 SD



Moulded Sandwich Panel Doors



GO 8305 SC



GO 8306 SV



GO 8307 SL



GO 8308 SD

Moulded Sandwich Panel Doors



SW 8605 SC



SW 8606 SV



SW 8607 SL



SW 8608 SD



SW 8609 FS



SW 8610 AD



SW 8611 RD



SW 8612 TD

Design and Build
based on your **Style**

**SILVERLINE
SANDWICH
PANEL
DOORS**





Sliver-lined Sandwich Panel Doors



MG 8110 S2



SW 8610 S2



BW 8210 S2



GO 8310 S2



RT 8510 S2



DW 8410 S2

Sliver-lined Sandwich Panel Doors

SELOUX
DOORS & WINDOWS

MG 8113 S6



RT 8513 S6



SW 8613 S6



DW 8413 S6



GO 8313 S6



BW 8213 S6





Sliver-lined Sandwich Panel Doors



GO 8312 FSL



SW 8612 FSL



RT 8512 FSL



DW 8412 FSL



BW 8212 FSL



MG 8112 FSL

Sliver-lined Sandwich Panel Doors

SELOUX
DOORS & WINDOWS

DW 8415 S5



RT 8515 S5



SW 8615 S5



BW 8215 S5



MG 8115 S5



GO 8315 S5





Sliver-lined Sandwich Panel Doors



RT 8514 S3



SW 8614 S3



BW 8214 S3



MG 8114 S3



GO 8314 S3



DW 8414 S3



Modern Designs
for your Home

**EXECUTIVE
CHECK
DESIGNS**



Executive Check Designs

RT 8519 CF



BW 8219 CF



DW 8419 CF



MG 8119 CF



GO 8319 CF



SW 8619 CF





MG 8116 CF



DW 8416 CF



RT 8516 CF



SW 8616 CF



GO 8316 CF



BW 8216 CF

MG 8121 CF



RT 8521 CF



SW 8621 CF



BW 8221 CF



GO 8321 CF



DW 8421 CF





BW 8218 CF



RT 8518 CF



MG 8118 CF



SW 8618 CF



GO 8318 CF



DW 8418 CF



Executive Check Designs

SW 8623 CF



DW 8423 CF



RT 8523 CF



BW 8223 CF



GO 8323 CF



MG 8123 CF



Executive Check Designs



MG 8120 CF



RT 8520 CF



SW 8620 CF



BW 8220 CF



GO 8320 CF



DW 8420 CF



MG 8122 CF



RT 8522 CF



SW 8622 CF



BW 8222 CF



GO 8322 CF



DW 8422 CF

Executive Check Designs



BW 8224 CF



DW 8424 CF



RT 8524 CF



SW 8624 CF



MG 8124 CF



GO 8324 CF

SELOUX
DOORS & WINDOWS



Because **your Design**
Matters

**CONTEM
PORARY
DESIGNS**

Contemporary Designs

SELOUX
DOORS & WINDOWS



RT 8525 CL



RT 8526 CL



RT 8527 CL



RT 8528 CL



RT 8529 CL



RT 8530 CL



MG 8125 CL



MG 8126 CL



MG 8127 CL



MG 8128 CL



MG 8129 CL



MG 8130 CL



DW 8425 CL



DW 8426 CL



DW 8427 CL



DW 8428 CL



DW 8429 CL



DW 8430 CL



BW 8225 CL



BW 8226 CL



BW 8227 CL



BW 8228 CL



BW 8229 CL



BW 8230 CL

Contemporary Designs

SELOUX
DOORS & WINDOWS



GO 8325 CL



GO 8326 CL



GO 8327 CL



GO 8328 CL



GO 8329 CL



GO 8330 CL



SW 8625 CL



SW 8626 CL



SW 8627 CL



SW 8628 CL



SW 8629 CL



SW 8630 CL

SELOUX[®]
DOORS & WINDOWS



Highly weather resistant
and much Durable

**PRINTED
GLASS
DESIGNS**

Kids live in an imaginative parallel world they create for themselves. As parents, the best we could do is to help them dream more.

At Seaoux, we serve custom-made animated doors to make your child's room more fun and attractive. Give it a try!

MADE
FOR
YOUR
KIDS!

SEAOUX
DOORS & WINDOWS



SELOUX[®] Printed Glass Designs
DOORS & WINDOWS



RT 8531 F



RT 8532 F



RT 8533 F



RT 8534 F



RT 8535 F



RT 8536 F



RT 8537 F



RT 8538 F



RT 8539 F



RT 8540 F

Printed Glass Designs

SELOUX
DOORS & WINDOWS



RT 8541 F



RT 8542 F



RT 8543 F



RT 8544 F



RT 8545 F



RT 8546 F



RT 8547 F



RT 8548 F



RT 8549 F



RT 8550 F



RT 8551 F



RT 8552 F

SELOUX[®] Printed Glass Designs
DOORS & WINDOWS



MG 8131 F



MG 8132 F



MG 8133 F



MG 8134 F



MG 8135 F



MG 8136 F



MG 8137 F



MG 8138 F



MG 8139 F



MG 8140 F

Printed Glass Designs

SELOUX
DOORS & WINDOWS



MG 8141 F



MG 8142 F



MG 8143 F



MG 8144 F



MG 8145 F



MG 8146 F



MG 8147 F



MG 8148 F



MG 8149 F



MG 8150 F



MG 8151 F



MG 8152 F

SELOUX[®] Printed Glass Designs
DOORS & WINDOWS



DW 8431 F



DW 8432 F



DW 8433 F



DW 8434 F



DW 8435 F



DW 8436 F



DW 8437 F



DW 8438 F



DW 8439 F



DW 8440 F



DW 8447 F



DW 8448 F

Printed Glass Designs

SELOUX
DOORS & WINDOWS



DW 8441 F



DW 8442 F



DW 8443 F



DW 8444 F



DW 8445 F



DW 8446 F



DW 8449 F



DW 8450 F



DW 8451 F



DW 8452 F



DW 8453 F



BW 8231 F



BW 8232 F



BW 8233 F



BW 8234 F



BW 8235 F



BW 8236 F



BW 8237 F



BW 8238 F



BW 8239 F



BW 8240 F



BW 8247 F



BW 8248 F

Printed Glass Designs

SELOUX
DOORS & WINDOWS



BW 8241 F



BW 8242 F



BW 8243 F



BW 8244 F



BW 8245 F



BW 8246 F



BW 8249 F



BW 8250 F



BW 8251 F



BW 8252 F



SENOUX[®] Printed Glass Designs
DOORS & WINDOWS



GO 8331 F



GO 8332 F



GO 8333 F



GO 8334 F



GO 8335 F



GO 8336 F



GO 8337 F



GO 8338 F



GO 8339 F



GO 8340 F

Printed Glass Designs

SELOUX
DOORS & WINDOWS



GO 8341 F



GO 8342 F



GO 8343 F



GO 8344 F



GO 8345 F



GO 8346 F



GO 8347 F



GO 8348 F



GO 8349 F



GO 8350 F



GO 8351 F



GO 8352 F

SELOUX[®] Printed Glass Designs
DOORS & WINDOWS



SW 8631 F



SW 8632 F



SW 8633 F



SW 8634 F



SW 8635 F



SW 8636 F



SW 8637 F



SW 8638 F



SW 8639 F



SW 8640 F



SW 8647 F



SW 8648 F

Printed Glass Designs

SELOUX
DOORS & WINDOWS



SW 8641 F



SW 8642 F



SW 8643 F



SW 8644 F



SW 8645 F



SW 8646 F



SW 8649 F



SW 8650 F



SW 8651 F



SW 8652 F



Introducing
uPVC Sliding Doors

SEAOUX[®]
DOORS & WINDOWS



Coming Soon...



uPVC
Pivot Doors
Now It's more
EASY



Coming Soon...

From Chennai's Central Institute of Petrochemicals Engineering & Technology to Institute of Plastics Technology, safety and quality of Seaoux doors have been certified by state-of-the-art lab facilities across the country.

रिपोर्ट : इस्टिटेट ऑफ प्लास्टिक्स
 (भारत में रासायनिक, उर्वरक, प्लास्टिक)

परीक्षण रिपोर्ट
TEST REPORT

CIPET - INSTITUTE OF PLASTICS TECHNOLOGY
 (Ministry of Chemicals & Fertilizers, Govt. of India)
 Gundy, Chennai - 600 032
 Tel: 91-44-2225 4701-6 Fax: 91-44-22254707
 E-mail: chennai@cipet.gov.in Website: www.cipet.gov.in

क्र.सं / Sl. No. **23966**

रिपोर्ट सं / REPORT NO. : **62618**

दिनांक / Date: **05.03.2020**

परीक्षण किया गया / Issued to:
M/s. Seaoux Imports & Exports,
Door No. 7/651-B, Ambalathara, Chanjal,
Chattiparamba, Malapuram, Kerala - 676 504.

पृष्ठ सं. / Pages: Part A, B, C & D
05.03.2020

संदर्भ / Ref.: Dated: Nil
 प्रमाण पत्र के अंतर्गत परीक्षण रिपोर्ट / TEST REPORT AS PER TEST STANDARD: Refer Part C

भाग - A / PART - A
 प्रस्तुत की गई वस्तु / PARTICULARS OF SAMPLE SUBMITTED

क) वस्तु का नाम / a) Name of the Sample: **UPVC Profiles -as stated by the party**

ख) वस्तु प्राप्त होने की तारीख / b) Date of Receipt of sample: **03.02.2020**

ग) श्रेणी/वर्गीकरण / c) Grade / variety / type / size / class: **Not applicable**

घ) घोषित मूल्य / d) Declared value, if any: **Not applicable**

च) कोड सं. / e) Code No.: **Not applicable**

ज) बैच सं. एवं निर्माण तिथि / f) Batch No. and Date of Manufacture: **Not applicable**

झ) मात्रा / g) Quantity: **01 Mtrl X 4 Nos & 2 Nos "L" Section**

ण) पैकेजिंग मोड / h) Mode of Packing: **Packed in carton pack**

ट) सीलिंग सं. या नहीं / i) Sealed or not: **Not Sealed**

ड) कोई अन्य सूचना / j) Any other information: **---**

भाग - B / PART - B
 अतिरिक्त सूचनाएं / SUPPLEMENTARY INFORMATIONS

क) परीक्षण करने की प्रक्रिया / a) Reference to sampling procedure: **Sampling not done by this lab**

ख) प्रमाण पत्रों के लिए आवश्यक दस्तावेज एवं उनके स्रोत / b) Supporting documents for the measurement taken and result derived: **As given in Part C**

ग) परीक्षण करने की विधि में उल्लेखित आवश्यक निर्देशों से कोई विचलन / c) Deviation from the test method as prescribed in relevant work instructions, if any: **No deviation from the standard**

2001 to 2500 / AVP / 25.02.2019 **1 of 1**

रिपोर्ट : इस्टिटेट ऑफ प्लास्टिक्स
 (भारत में रासायनिक, उर्वरक, प्लास्टिक)

परीक्षण रिपोर्ट
TEST REPORT

CIPET - INSTITUTE OF PLASTICS TECHNOLOGY
 (Ministry of Chemicals & Fertilizers, Govt. of India)
 Gundy, Chennai - 600 032
 Tel: 91-44-2225 4701-6 Fax: 91-44-22254707
 E-mail: chennai@cipet.gov.in Website: www.cipet.gov.in

क्र.सं / Sl. No. **23966**

रिपोर्ट सं / REPORT NO. : **62618**

दिनांक / Date: **05.03.2020**

भाग - C / PART - C
 परीक्षण परिणाम / TEST RESULTS

Test Duration: 03.02.2020 to 05.03.2020

Sl. No.	Property	Standard	Unit	Results Obtained	Specified Requirements
1.	Wall Thickness	EN-12608 Clause: 5.3.2			
	i) Sight surface		mm	2.35	≥ 2.5 mm
	ii) Non-sight surface		mm	2.04	≥ 2.0 mm
2.	Resistance to Impact @ -10°C Falling Mass: 1000g Falling Height: 1500mm	EN-12608 Clause: 5.6		No failure was observed	No more than one specimen shall show rupture
3.	Deviation from straightness	EN-12608 Clause: 5.3.4	mm	0.14	Shall not be >1mm for a length of 1 meter
4.	After heat Ageing @ 150 ± 2°C for 24 hours Visual Appearance	EN 12608 Clause: 5.7.0		No defects, cracks, peel off and delamination was observed visually.	Shall not show defects and delamination
5.	Charpy Impact Strength (Un notched)	EN 12608 Clause: A.4.2	kJ/m ²	28.5	Min: 20.0
6.	Flexural Modulus	EN 12608 Clause: A.4.3	N/mm ²	2016.8	Min: 2200.0
7.	Vicat Softening Point @ 5kg load	EN 12608 Clause: A.4.1	°C	85.0	Min: 75.0
8.	Weldability (Tensile bending)	EN 12608 Clause: 5.9	N	1539.8	--
9.	Tensile Strength Test Speed: 50mm/min	ASTM D-638	MPa	24.5	--
10.	Elongation at break	ASTM D-638	%	13.11	--
11.	Flammability (Rate of Burning)	ASTM D-635	mm/min	The flame front does not reach 25mm reference mark (self extinguishing)	--

Contd.....
2 of 2

2001 to 2500 / AVP / 25.02.2019

[Signature]
 AUTHORISED SIGNATORY

रिपोर्ट सं: 62618 TEST RESULTS

Date: **05.03.2020**

Continuation Sheet

Sl. No.	Property	Standard	Unit	Results Obtained	Specified Requirements
12.	Thermal Conductivity @ 55°C Mean Temperature	ASTM E-1530	W/mK	0.233	--
13.	Water Absorption for 24 hours	ASTM D-570	%	0.02	--
14.	Limiting Oxygen Index	ASTM D-2863	%	49.3	--
15.	Colour Fastness	ASTM D-2240	--		
	L			92.88	
	a			00.17	
	b			05.54	
	Grey Scale Rating	ISO 105-A04	--	4.0	Maximum: 4.0
16.	Chemical Resistance	--	--		
	i) With concentrated HCL at Room Temperature for 24 hours			No discolouration, No delamination and No deformation was observed visually	
	ii) With 10% Aqueous solution of NaOH			No discolouration, No delamination and No deformation was observed visually	
	iii) With Acetone			No discolouration, No delamination and No deformation was observed visually	
17.	Density	ASTM D-792	g/cc	1.656	--

PART - D

REMARKS - Nil

NOTE:

1. The results related only to the items tested as supplied by the party.

2. The test certificate shall not be reproduced in full except without the written approval of the laboratory.


[Signature]
 AUTHORISED SIGNATORY

A GRADE UPVC PROFILES

80 SERIES DOOR SASH

WHITE PROFILES WEIGHT / METER = 1.05 KG/M


WRAPPED PROFILES WEIGHT / METER = 1.12 KG/M



80 SERIES DOOR FRAME

WHITE PROFILES WEIGHT / METER = 1.0 KG/M


WRAPPED PROFILES WEIGHT / METER = 1.04 KG/M



80 SERIES DOOR MULLION

WHITE PROFILES WEIGHT / METER = 0.88 KG/M

WRAPPED PROFILES WEIGHT / METER = 0.94 KG/M





Kidangeth Enterprises

+919447701742

+91 8547047742

SEAOUX[®]
DOORS & WINDOWS

HelpLine no : +91 7736986444



info@seaoux.com

www.seaoux.com